

Subjects' Size Table

BSI SIZES (TABLE 7.8)	GENERIC SIZES (TABLE 7.9)	ACTUAL HIP CIRCUMFERENCE	'GREEK GENERIC' HIP SIZE (TABLE 7.12)	ACTUAL WAIST CIRCUMFERENCE
HIPS (18)-BUST (16)	L	107	101-110	77
HIPS (14)-BUST (12)	M	99	91-100	73
HIPS (12)-BUST (12)	M	94	91-100	72
HIPS (10)-BUST (14)	M	89	91-100	77,5
-	XL	115	111-120	95,5
HIPS (12)-BUST (12)	M	91	91-100	66,5
HIPS (10)-BUST (10)	S	90	81-90	65
HIPS (14)-BUST (10)	M	96	91-100	70
HIPS (18)-BUST (16)	L	106	101-110	80,5
HIPS (14)-BUST (12)	M	93	91-100	64,5
HIPS (16)-BUST (14)	M	103	91-100	77,5
HIPS (18)	XL	106	111-120	90,5
HIPS (14)-BUST (12)	M	97	91-100	79
HIPS (14)-BUST (14)	M	96	91-100	70
HIPS (16)-BUST (14)	M	101	91-100	75
-	XS	75,5	to 80	63
HIPS (10)-BUST (10)	S	91	81-90	66
HIPS (18)-BUST (14)	L	106,5	101-110	73,5
BUST (12)	L	112	101-110	74
HIPS (14)-BUST (12)	M	96	91-100	67,5
BUST (12)	L	111,5	101-110	74
HIPS (8)	S	84	81-90	66
HIPS (10)-BUST (10)	S	88	81-90	67
HIPS (14)-BUST (10)	M	97	91-100	73
HIPS (14)-BUST (12)	M	96	91-100	74
HIPS (8)-BUST (8)	S	84	81-90	67
HIPS (16)-BUST (12)	M	102,5	91-100	74,5
HIPS (12)-BUST (8)	M	94	91-100	61
HIPS (8)	S	84	81-90	61
HIPS (8)	S	84	81-90	66
-	-	142,5	-	95
HIPS (16)-BUST (14)	M	102	91-100	67
-	XS	80	to 80	58
HIPS (10)-BUST (10)	S	90,5	81-90	68
HIPS (12)-BUST (8)	S	94	81-90	70
HIPS (12)-BUST (14)	M	91,5	91-100	75,5
BUST (16)	L	113	101-110	78,5
HIPS (16)-BUST (14)	M	102	91-100	79,5
BUST (16)	L	113	101-110	89,5
-	XL	115	111-120	104
HIPS (12)-BUST (8)	S	93	81-90	71
BUST (18)	XL	114,5	111-120	87
-	XL	114,5	111-120	96,5
HIPS (18)-BUST (14)	L	108	101-110	79,5
HIPS (10)-BUST (14)	M	91	91-100	79
HIPS (10)-BUST (8)	S	90,5	81-90	67,5
HIPS (16)-BUST (16)	L	101	101-110	86
HIPS (12)-BUST (10)	S	93	81-90	70
HIPS (18)-BUST (12)	L	109	101-110	75
-	XL	112,5	111-120	90,5
HIPS (10)-BUST (12)	S	88	81-90	70
HIPS (14)-BUST (14)	M	98	91-100	72,5
HIPS (8)-BUST (8)	S	87	81-90	63
HIPS (18)-BUST (16)	L	107,5	101-110	74,5
HIPS (12)-BUST (8)	M	95	91-100	65
HIPS (16)-BUST (12)	M	103	91-100	69
HIPS (12)-BUST (14)	M	93	91-100	76
HIPS (12)-BUST (10)	S	93,5	81-90	68
HIPS (16)-BUST (14)	M	101	91-100	80
HIPS (12)-BUST (12)	M	94,5	91-100	69
HIPS (16)-BUST (12)	M	102	91-100	72,5
HIPS (12)-BUST (8)	S	91,5	81-90	69
HIPS (12)-BUST (8)	S	95	81-90	69,5
HIPS (10)-BUST (10)	S	90,5	81-90	67
HIPS (10)-BUST (10)	S	90	81-90	67
HIPS (16)-BUST (14)	M	100,5	91-100	79,5
HIPS (12)-BUST (10)	S	92	81-90	68
HIPS (10)-BUST (10)	S	90,5	81-90	74
BUST (18)	XL	120	111-120	89
HIPS (16)-BUST (16)	M	101	91-100	84,5
HIPS (16)-BUST (16)	M	100	91-100	82
BUST (18)	XL	117	111-120	88
HIPS (14)-BUST (10)	M	97	91-100	72,5
HIPS (14)-BUST (10)	M	98	91-100	71,5
HIPS (16)-BUST (14)	M	100	91-100	86

Subjects' Size Table

'GREEK GENERIC' WAIST SIZE (TABLE 7.12)	ACTUAL BUST CIRCUMFERENCE
86-95	96
76-85	87
76-85	89
76-85	93
96-105	111
76-85	87,5
66-75	82,5
76-85	84,5
86-95	95,5
76-85	86
76-85	91
96-105	110,5
76-85	86,5
76-85	91
76-85	92,5
to 65	69
66-75	86
86-95	90,5
86-95	88
76-85	86,5
86-95	89
66-75	76
66-75	84
76-85	85,5
76-85	86
66-75	81
76-85	89,5
76-85	78
66-75	73
66-75	76
-	113,5
76-85	91
to 65	73,5
66-75	85
66-75	80
76-85	91,5
86-95	98
76-85	90,5
86-95	97,5
96-105	114,5
66-75	80
96-105	101
96-105	105
86-95	91
76-85	92,5
66-75	78,5
86-95	99
66-75	83
86-95	88,5
96-105	106
66-75	86,5
76-85	93
66-75	78
86-95	95,5
76-85	81
76-85	88
76-85	90,5
66-75	83,5
76-85	94
76-85	86
76-85	88
66-75	81,5
66-75	81
66-75	85,5
66-75	83
76-85	90
66-75	83
66-75	84,5
96-105	102
76-85	95,5
76-85	95
96-105	100,5
76-85	82
76-85	83
76-85	94,5

Subjects' Size Table

'GREEK GENERIC' BUST SIZE (TABLE 7.12)	LOCATION OF SCOLIOSIS	DEGREES	CURVE SIZE
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	60°	3
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	40°	2
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	68°	3
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	55°	3
101-108	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	44°	2
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	35°	2
77-84	LEFT C (THORACIC SPINE)	25°	1
85-92	RIGHT C (THORACIC SPINE)	18°	1
93-100	LEFT S THORACO-LUMBAR (THORACIC SPINE)	24°	1
85-92	RIGHT C (THORACIC SPINE)	16°	1
85-92	RIGHT C (THORACIC SPINE)	19°	1
101-108	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	15°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	30°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	22°	1
85-92	RIGHT C (THORACIC SPINE)	16°	1
to 76	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	60°	3
77-84	RIGHT C (THORACIC SPINE)	28°	1
93-100	RIGHT C (THORACIC SPINE)	16°	1
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	22°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	23°	1
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	18°	1
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	45°	2
77-84	LEFT C (THORACIC SPINE)	20°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	35°	2
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	45°	2
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	15°	1
85-92	LEFT C (THORACIC SPINE)	16°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	35°	2
77-84	RIGHT C (THORACIC SPINE)	15°	1
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	60°	3
-	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	28°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	23°	1
to 76	RIGHT C (LUMBAR SPINE)	20°	1
77-84	LEFT C (THORACIC SPINE)	17°	1
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	55°	3
85-92	RIGHT S THORACO-LUMBAR (LUMBAR SPINE)	22°	1
93-100	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	35°	2
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	29°	1
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	13°	1
101-108	LEFT S THORACO-LUMBAR (THORACIC SPINE)	17°	1
77-84	RIGHT S THORACO-LUMBAR (LUMBAR SPINE)	20°	1
101-108	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	15°	1
101-108	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	56°	3
93-100	LEFT S THORACO-LUMBAR (THORACIC SPINE)	38°	2
85-92	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	38°	2
77-84	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	20°	1
93-100	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	23°	1
77-84	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	13°	1
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	9°	1
101-108	LEFT S CERVICO-THORACIC (THORACIC SPINE)	14°	1
77-84	RIGHT S CERVICO-THORACO-LUMBAR (THORACIC SPINE)	30°	1
85-92	RIGHT S CERVICO-THORACO-LUMBAR (THORACIC SPINE)	40°	2
77-84	RIGHT S CERVICO-THORACO-LUMBAR (THORACIC SPINE)	30°	1
93-100	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	14°	1
85-92	LEFT S THORACO-LUMBAR (LUMBAR SPINE)	18°	1
85-92	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	19°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	22°	1
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	23°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	26°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	20°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	17°	1
77-84	RIGHT S THORACO-LUMBAR (LUMBAR SPINE)	14°	1
77-84	RIGHT C (THORACIC SPINE)	22-25°	1
77-84	RIGHT S THORACO-LUMBAR (LUMBAR SPINE)	42°	2
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	22°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	14°	1
77-84	LEFT S CERVICO-THORACIC (CERVICAL SPINE)	16°	1
77-84	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	35-28°	2
101-108	RIGHT S CERVICO-THORACO-LUMBAR (THORACIC SPINE)	36°	2
85-92	RIGHT S CERVICO-THORACIC (THORACIC SPINE)	11°	1
85-92	LEFT S THORACO-LUMBAR (THORACIC SPINE)	42°	2
101-108	LEFT C (THORACIC SPINE)	18°	1
85-92	LEFT S CERVICO-THORACIC (THORACIC SPINE)	12°	1
85-92	RIGHT S THORACO-LUMBAR (THORACIC SPINE)	55°	3
85-92	RIGHT C (THORACIC SPINE)	80°	3

HOSPITAL'S NOTES
INTERBALCAN MEDICAL CENTER: SURGERY, THORACO-LUMBAR 60°, S
G. H. G. PAPANIKOLAOU: SURGERY, THORACO-LUMBAR 40°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 68°, S
G. H. G. PAPANIKOLAOU: SURGERY, THORACO-LUMBAR 55°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 44°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 35°, S
G. H. G. PAPANIKOLAOU: NO SCOLIOSIS, (LEFT KYPHOSIS), C
G. H. G. PAPANIKOLAOU: SCOLIOSIS C 18°, C
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 24°, S
G. H. G. PAPANIKOLAOU: LIGHT SCOLIOSIS 16°, C
G. H. G. PAPANIKOLAOU: SCOLIOSIS C 19°, C
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR, RIGHT 15°, LEFT 13°, S
G. H. G. PAPANIKOLAOU: SURGERY, THORACO-LUMBAR 30°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 22°, S
G. H. G. PAPANIKOLAOU: SCOLIOSIS C 16°, C
G. H. G. PAPANIKOLAOU: SPINAL FUSION T3-T2, CERVICO-THORACIC 60°, S
G. H. G. PAPANIKOLAOU: THORACIC SPINE 28°, C
G. H. G. PAPANIKOLAOU: SCOLIOSIS CONTROL, T 16, C
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 22°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 23°, S
G. H. G. PAPANIKOLAOU: SCOLIOSIS S, THORACO-LUMBAR 18°, S
G. H. G. PAPANIKOLAOU: DOUBLE 45° (boston), S
G. H. G. PAPANIKOLAOU: SCOLIOSIS C 20°, C
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 35°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR, RIGHT 45° (boston), S
G. H. G. PAPANIKOLAOU: SCOLIOSIS S, THORACO-LUMBAR, RIGHT 15°, S
G. H. G. PAPANIKOLAOU: SCOLIOSIS WITHOUT VIEW, C
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR, RIGHT 35°, LEFT 30° (boston), S
G. H. G. PAPANIKOLAOU: T 12, APPROXIMATELY 15°, C
G. H. G. PAPANIKOLAOU: SCOLIOSIS 60° (boston), S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 28°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR 23°, S
G. H. G. PAPANIKOLAOU: RIGHT C 20°, C
G. H. G. PAPANIKOLAOU: LEFT C, STABLE STATE SCOLIOSIS, C
G. H. G. PAPANIKOLAOU: SCOLIOSIS S, RIGHT 50-60° (boston), S
G. H. G. PAPANIKOLAOU: STABLE STATE SCOLIOSIS S, THORACO-LUMBAR 22° (boston), S
G. H. G. PAPANIKOLAOU: CERVICO-THORACIC 35°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 29°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 13°, S
G. H. G. PAPANIKOLAOU: LEFT THORACO-LUMBAR 17°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 20°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR S, 15°-15°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC, 56°, S
G. H. G. PAPANIKOLAOU: LEFT THORACO-LUMBAR, 38°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC, 38°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC, 20°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC 23°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC 13°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 9°, S
G. H. G. PAPANIKOLAOU: LEFT CERVICO-THORACIC 14°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACO-LUMBAR 30°, (de spine cor
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACO-LUMBAR 40°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACO-LUMBAR 30°, (boston & de
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 14°, S
G. H. G. PAPANIKOLAOU: LEFT THORACO-LUMBAR 18°, S
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC 19°, S
G. H. G. PAPANIKOLAOU: THORACO-LUMBAR RIGHT 22°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 23°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 26°, S
G. H. G. PAPANIKOLAOU: S-TYPE, APPROXIMATELY 20°, S
G. H. G. PAPANIKOLAOU: S-TYPE, RIGHT THORACO-LUMBAR 17°, S
G. H. G. PAPANIKOLAOU: S-TYPE, RIGHT THORACO-LUMBAR 14°, S
G. H. G. PAPANIKOLAOU: RIGHT C, THORACIC SPINE 22-25°, C
G. H. G. PAPANIKOLAOU: S-TYPE, RIGHT THORACO-LUMBAR 35°-42°, S
G. H. G. PAPANIKOLAOU: S-TYPE, RIGHT THORACO-LUMBAR 22°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR 14°, S
G. H. G. PAPANIKOLAOU: LEFT CERVICO-THORACIC 16°, S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR (THORACIC SPINE 35° - LU
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACO-LUMBAR (THORACIC SPIN
G. H. G. PAPANIKOLAOU: RIGHT CERVICO-THORACIC (THORACIC SPINE 11°), S
G. H. G. PAPANIKOLAOU: LEFT THORACO-LUMBAR (THORACIC SPINE 42°), S
G. H. G. PAPANIKOLAOU: LEFT THORACIC SPINE 18°, C
G. H. G. PAPANIKOLAOU: LEFT CERVICO-THORACIC (THORACIC SPINE 12°), S
G. H. G. PAPANIKOLAOU: RIGHT THORACO-LUMBAR (THORACIC SPINE 55°), S
G. H. G. PAPANIKOLAOU: RIGHT C, THORACIC SPINE 80°, C