eriodi

facturing a record will a character

e comm

al error

se noise

or the lin

minu

spliorityslee

out licence or sold of

Lead-in-groove for "learning" the software a noise-profile or choosing parts that are probably different than the rest ?

ical nois <u>Acurau</u> <u>Acurau</u> <u>Acurau</u> <u>acurau</u> <u>acurau</u> <u>acurau</u> <u>acurau</u>

CIIII O'arning' fea

---- "learning a noise-profile" is only for one type of noise removal: hiss, and that is the most difficult to use and the one that causes the worst artefacts by over-use.

experience I have not removed noise since about 1990! But I have done a lot

of equalisation from good records with low inherent surface noise.

---- but I totally agree, and it fits perfectly with the way I have collected modern records they are mostly examples of re-issues, and YOU


heard a selection during the workshop (Caruso's voice or what remained of it atter denoising)

ivut

nics

IS.





Umtausch der Schallplatten nur bei unverletztem Streifen

PriuseLcnAeloexioNnDningeloeX!or no!SecleonGnGnGnGnGloonSecleOnSecleOnSecleOnSecleOnSecleOnSecleOnSe no!SeclonGnGnGnGnGnGloseloa2!on no!SeclonGnGnGnGnGnGloseloaS!on no!SeclerinGnNoisecleAno_leauing no!SecloreninGnIngeloelong no!SeclegeioNnDningelog!on nollenceston and a second and a

Emerging from the Noise - Excerpts and reworked parts of an email-discussion between the three authors about related topics like digitisation, audiorestoration, contextualisation of historical soundrecordings and how sound from the past becomes part of current artistic practice,

can be found at http://www.offtopic-magazin.de/04/emerging-from-the-noise.htm

